



طرح عطاء مدفوع

يعلم مستشفى النجاح الوطني الجامعي عن طرح عطاء رقم RFQ-H-11761 والخاص ب Data Center لزوم مشروع العلاج الإشعاعي ، على الشركات المتخصصة والراغبة بالمشاركة بالعطاء تقديم عروض أسعارها في موعد أقصاه يوم الثلاثاء الموافق 31/12/2024 الساعة الثالثة مساءً PM 15:00 :

#	رقم العطاء	موضوع العطاء	ثمن نسخة العطاء	موعد الطرح	وقت الإغلاق	
					التاريخ	الساعة
1	RFQ-H-11761	لزوم مشروع العلاج الإشعاعي Data Center	250 شيكل غير مستردة	2024/12/17	2024/12/31	P.M 15 :00

حسب الشروط التالية:

1. ضرورة إرفاق الرخصة التجارية والسيرة الذاتية للشركة مع عرض السعر .
2. رسوم الإعلان على من يرسو عليه العطاء .
3. ثمن نسخة العطاء 250 شيكل غير مستردة .
4. كغالة دخول عطاء بقيمة (1000) دولار أمريكي .

على الراغبين بالحصول على نسخة العطاء مراجعة دائرة اللوازم والمشتريات مكتب رقم 6400 / مبنى الإدارة أو عبر الإيميل Tender3@najah.edu وذلك خلال ساعات الدوام الرسمية .

للاستفسار يرجى الاتصال على :

لأية إستفسارات أخرى يرجى مراجعة دائرة اللوازم والمشتريات هاتف رقم 2331471 -970-09+ تحويلة 6400 / فاكس : 2389685 -970-9+ .

التاريخ : 18/12/2024 م

تعديل كراسة طرح عطاء رقم – RFQ-H-11761

السادة / الشركات المختصة الراغبة بالمشاركة بالعطاء - المحترمين .

الموضوع : **Data Center لمشروع العلاج الإشعاعي** ، حسب المواصفات المرفقة .

بالإشارة إلى الموضوع أعلاه، يرجى الاطلاع على جداول المواصفات المرفقة مع مراعاة الشروط التالية :-

1. تكتب الاسعار بالدولار الأمريكي وبشكل واضح في المكان المخصص حسب الجدول المرفق وتشمل قيمة الضريبة المضافة، في حال وجود تعارض بين سعر الوحدة ومجموع سعر الوحدة المشتق، فإن سعر الوحدة هو الذي سيعتمد .
2. ثمن نسخة العطاء (250) شيكل إسرائيلي غير مستردة تدفع في الدائرة المالية مبنى الإدارة – الطابق الأول .
3. كفالة دخول عطاء بقيمة (1000) ألف دولار امريكي او ما يعادلها سارية المفعول لمدة ثلاثة شهور تأميناً نقدياً او كفالة بنكية او شيكاً مصدقاً وفي حالة عدم تقديم المطلوب لا ينظر في عرض سعركم .
4. كفالة حسن تنفيذ بقيمة 10% من قيمة العطاء في حالة الترسية تأميناً نقدياً او كفالة بنكية او شيكاً مصدقاً سارية المفعول لمدة ثلاثة اشهر .
5. رسوم الاعلان على من يرسو عليه العطاء .
6. ضرورة أن تكون الأجهزة المعروضة جديدة وليست مجددة .
7. ضرورة الالتزام بالتسعير على النموذج المرفق بالعطاء .
8. يتم تقديم شهادة خصم مصدر في حالة تجاوز المبلغ قيمة 2500 شيكل او ما يعادلها .
9. غرامة تأخير 2% عن كل اسبوع وتبدأ من اليوم الذي يلي موعد التسليم المحدد من قبلكم، وفي حال تأخير التوريد مدة تزيد عن اسبوعين يحق للمستشفى إلغاء أمر الشراء والاحالة على مورد آخر مع تحميلكم فروق الأسعار .
10. الدفع خلال 90 يوماً من تاريخ الاستلام والفحص ومطابقة المواصفات الفنية المطلوبة .
11. تحديد فترة التسليم في عرض سعركم وايضاً فترة الضمان وأن تكون صلاحية العرض المقدم من طرفكم مدة لا تقل عن ثلاثة أشهر .
12. تسلم عروض الاسعار في مكتب مدير دائرة اللوازم والمشتريات رقم (6400) مبنى الإدارة في مستشفى النجاح الوطني الجامعي بالظرف المختوم فقط وتوضع في صندوق العطاءات ، على أن يكون عرض السعر يحوي فصلاً بين العرض المالي والعرض الفني أي أن العرض المالي منفصل عن العرض الفني مع ضرورة كتابة رقم العطاء على المغلفين وتوضيح اي منهما العرض الفني والعرض المالي.
13. على كل من يرغب بالمشاركة بتقديم عرض سعر تقديم ما لديه من مواد او اجهزة او ماركات لما جاء اعلاه او البديل له والرد على العطاء سلباً او ايجاباً .
14. يحق للمستشفى تجزئة العطاء وهي غير ملزمة بأقل الأسعار .
15. يحق للمستشفى إلغاء العطاء دون ابداء السبب ودون تحمل اية تكاليف مع اعادة رسوم نسخة العطاء للمشاركين في العطاء ان وجدت، ولا تتحمل المستشفى تكاليف النقل والتحميل والتنزيل .
16. ضرورة ارفاق الرخصة التجارية والسيرة الذاتية للشركة مع عرض السعر .
17. آخر موعد لتقديم عرض السعر هو يوم الثلاثاء الموافق 2024-12-31 م الساعة الثالثة مساءً 03:00 pm .
18. لأية إستفسارات متعلقة بالعطاء المذكور اعلاه ، يرجى الاتصال بالسيد مدير دائرة اللوازم والمشتريات هاتف رقم (97092389687) داخلي (6400) أو من خلال البريد الالكتروني tender3@najah.edu .

مدير دائرة اللوازم والمشتريات

إياد المكاوي



تعديل كراسة طرح عطاء رقم - RFQ-H-11761

جدول الأسعار والكميات :

Part Number	Description	Service Duration (Months)	Qty	unit price (\$)	Total price (\$)
C9200L-48P-4X-E	Catalyst 9200L 48-port PoE+, 4 x 10G, Network Essentials	---	17		
C9200L-NW-E-48	C9200L Network Essentials, 48-port license	---			
CAB-TA-EU	IL AC Type A Power Cable	---			
PWR-C5-BLANK	Config 5 Power Supply Blank	---			
C9200-STACK-BLANK	Catalyst 9200 Stack Module	---			
C9200L-DNA-E-48	C9200L Cisco DNA Essentials, 48-port Term license	---			
NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	---			
CON-SNT-C9200L4X	SNTC-8X5XNBD Catalyst 9200L 48-port PoE+, 4 x 10G, Ne	36			
C9200L-DNA-E-48-3Y	C9200L Cisco DNA Essentials, 48-port, 3 Year Term license	36			
C9200L-24P-4X-E	Catalyst 9200L 24-port PoE+, 4 x 10G, Network Essentials	---	4		
C9200L-NW-E-48	C9200L Network Essentials, 24-port license	---			
CAB-TA-EU	IL AC Type A Power Cable	---			
PWR-C5-BLANK	Config 5 Power Supply Blank	---			
C9200-STACK-BLANK	Catalyst 9200 Stack Module	---			
C9200L-DNA-E-48	C9200L Cisco DNA Essentials, 24-port Term license	---			
NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	---			
CON-SNT-C9200L4X	SNTC-8X5XNBD Catalyst 9200L 24-port PoE+, 4 x 10G, Ne	36			
C9200L-DNA-E-48-3Y	C9200L Cisco DNA Essentials, 24-port, 3 Year Term license	36			
C9500-24Y4C-E	Catalyst 9500 24x1/10/25G and 4-port 40/100G, Essential		2		



CON-SNT-C95024EY	SNTC-8X5XNBD Catalyst 9500 24-port 25/100G only, Esse	36			
CAB-9K10A-EU	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	---			
C9K-PWR-650WAC-R	650W AC Config 4 Power Supply front to back cooling	---			
C9500-SPS	Secondary Power Supply	---			
C9K-F1-SSD-BLANK	Cisco pluggable SSD storage	---			
C9K-T1-FANTRAY	Catalyst 9500 Type 4 front to back cooling Fan	---			
C9500-NW-E	C9500 Network Stack, Essentials	---			
S9500UK9-179	Cisco Catalyst 9500 XE 17.9 UNIVERSAL	---			
C9500-SSD-NONE	No SSD Card Selected	---			
C9500-DNA-24Y4C-E	C9500 DNA Essentials, Term License	---			
C9500-DNA-L-E-3Y	DNA Essentials 3 Year License	36			
N9K-C93180YC-FX3	Nexus 9300 48p 1/10/25G, 6p 40/100G, MACsec, SyncE		2		
CON-SNT-N9KC93X3	SNTC-8X5XNBD Nexus 9300 48p 1/10/25G, 6p 40/100G, MAC	36			
MODE-NXOS	Mode selection between ACI and NXOS	---			
NXK-ACC-KIT-1RU	Nexus 3K/9K Fixed Accessory Kit, 1RU front and rear removal	---			
NXA-FAN-35CFM-PI	Nexus Fan, 35CFM, port side intake airflow	---			
NXK-MEM-16GB	Additional memory of 16GB for Nexus Switches	---			
NXA-PAC-650W-PI	Nexus NEBs AC 650W PSU - Port Side Intake	---			
CAB-N5K6A-Israel	Power Cord, 200/240V 6A IL	---			
Wireless Access Points					
C9115AXI-E	Cisco Catalyst 9115AX Series	---	20		
SW9115AX-CAPWAP-K9	Capwap software for Catalyst 9115AX	---			
AIR-AP-BRACKET-1	802.11 AP Low Profile Mounting Bracket (Default)	---			
AIR-AP-T-RAIL-R	Ceiling Grid Clip for APs & Cellular Gateways-Recessed	---			





CDNA-E-C9115	Wireless Cisco DNA On-Prem Essentials, 9115 Tracking	---			
AIR-DNA-E	Wireless Cisco DNA On-Prem Essential, Term Lic	---			
AIR-DNA-E-T	Wireless Cisco DNA On-Prem Essential, Term, Tracker Lic	---			
AIR-DNA-NWSTACK-E	Wireless DNA Perpetual Network Stack - Essentials	---			
NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	---			
C9115AXI-SINGLE	C9115AXI SINGLEPACK OPTION	---			
C9115-OVER	C9115AX OVER OPTION	---			
CON-SNT-C9115XIA	SNTC-8X5XNBD Cisco Catalyst 9115AX Series	12			
DNA-E-3Y-C9115	C9115AX Cisco DNA On-Prem Essential, 3Y Term, Trk Lic	36			
AIR-DNA-E-3Y	Wireless Cisco DNA On-Prem Essential, 3Y Term Lic	36			
AIR-DNA-E-T-3Y	Wireless Cisco DNA On-Prem Essential, 3Y Term, Tracker Lic	36			
C9800-L-C-K9	Cisco Catalyst 9800-L Wireless Controller_Copper Uplink		1		
CON-SNT-C9800LCL	SNTC-8X5XNBD Cisco Catalyst 9800-L Wireless Controlle	---			
LIC-C9800-DTLS-K9	Cisco Catalyst 9800 Series Wireless Controller DTLS License	---			
SC9800LK9-173	Cisco Catalyst 9800-L Wireless Controller	---			
C9800-AC-110W	Cisco Catalyst 9800 L Wireless Controller Power Supply	---			
CAB-AC-C5-EUR	AC Power Cord, Type C5, Europe	---			
NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	---			
SFP-10G-SR-S=	10GBASE-SR SFP Module, Enterprise-Class	---	18		
SFP-10G-T-X=	10GBASE-T SFP+ transceiver module for Category 6A cables	---	4		
QSFP-100G-LR4	100GBASE-LR QSFP Module, Enterprise-Class	---	4		
42U Switch cabinets	42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 800W x 1000D mm	---	5		
PDU	PDU, Basic, 0U, 1 Phase, 3.7kW, 230V, 16A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet	---	10		
12U Switch cabinets	12U, Black, With Roof, Castors, Feet, 4 Brackets, Fans, PDU, and Side Panels	---	4		





ATS	Automatic Transfer Switch, 1U, 16A, 230V, 2 C20 IN, 8 C13, 1 C19 OUT, 50/60Hz	—	2		
Patch Panel	3M ,24 port-Full Patch Panel CAT 6A	—	36		
Air Patch Panel	Air Patch Panel	—	36		
ODF	24 Port FIBER PATCH PANEL	—	10		
DAC CABLE	DAC CABLE 0.5 MTR	—	15		
PATCH CORD	CAT6A SFTP 0.5 MTR	—	850		
	Total price (\$)				

	إسم الشركة	1
	الختم	2
	التوقيع والإسم	3
	معلومات الإتصال	4
	مدة التوريد	5
	مدة الكفالة إن وجدت	6

